



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/582,820

10/08/2008

Lyian He

03-903-US

7416

20306

7590

05/11/2010

MCDONNELL BOEHNEN HULBERT & BERGHOFF LLP  
300 S. WACKER DRIVE  
32ND FLOOR  
CHICAGO, IL 60606

EXAMINER

SISSON, BRADLEY L

ART UNIT

PAPER NUMBER

1634

MAIL DATE

DELIVERY MODE

05/11/2010

PAPER

**Please find below and/or attached an Office communication concerning this application or proceeding.**

The time period for reply, if any, is set in the attached communication.

**UNITED STATES DEPARTMENT OF COMMERCE****U.S. Patent and Trademark Office**

Address : COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450

APPLICATION NO./ CONTROL NO.	FILING DATE	FIRST NAMED INVENTOR / PATENT IN REEXAMINATION	ATTORNEY DOCKET NO.
10582820	10/8/08	HE ET AL.	03-903-US

MCDONNELL BOEHNEN HULBERT & BERGHOFF LLP  
300 S. WACKER DRIVE  
32ND FLOOR  
CHICAGO, IL 60606

**EXAMINER**

Bradley L.. Sisson

ART UNIT	PAPER
----------	-------

1634	20100505
------	----------

DATE MAILED:

**Please find below and/or attached an Office communication concerning this application or proceeding.**

**Commissioner for Patents**

The reply filed on 28 April 2010 is not fully responsive to the prior Office Action because:

New corrected drawings in compliance with 37 CFR 1.121(d) are required in this application because:

- a) Figure(s) 1A – 6B is/are not properly labeled. See 37 CFR 1.84(u)(1).
- b) The lettering is not of proper size, uniform density, and well-defined in Figure(s) 1A – 6B. See 37 CFR 1.84 (l) and (p)(1) – (5). (“Numbers, letters, and reference characters must measure at least .32 cm (1/8 inch) in height.”)

Applicant is advised to employ the services of a competent patent draftsman outside the Office, as the U.S. Patent and Trademark Office no longer prepares new drawings. The corrected drawings are required in reply to the Office action to avoid abandonment of the application. The requirement for corrected drawings will not be held in abeyance.

**INFORMATION ON HOW TO EFFECT DRAWING CHANGES****Replacement Drawing Sheets**

Drawing changes must be made by presenting replacement sheets which incorporate the desired changes and which comply with 37 CFR 1.84. An explanation of the changes made must be presented either in the drawing amendments section, or remarks, section of the amendment paper. Each drawing sheet submitted after the filing date of an application must be labeled in the top margin as either “Replacement Sheet” or “New Sheet” pursuant to 37 CFR 1.121(d). A replacement sheet must include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of the amended drawing(s) must not be labeled as “amended.” If the changes to the drawing figure(s) are not accepted by the examiner, applicant will be notified of any required corrective action in the next Office action. No further drawing submission will be required, unless applicant is notified.

Identifying indicia, if provided, should include the title of the invention, inventor’s name, and application number, or docket number (if any) if an application number has not been assigned to the application. If this information is provided, it must be placed on the front of each sheet and within the top margin

Since the period for reply set forth in the prior Office action has expired, this application will become abandoned unless applicant corrects the deficiency and obtains an extension of time under 37 CFR 1.136(a).

The date on which the petition under 37 CFR 1.136(a) and the appropriate extension fee have been filed is the date for purposes of determining the period of extension and the corresponding amount of the fee. In no case may an applicant reply outside the SIX (6)

MONTH statutory period or obtain an extension for more than FIVE (5) MONTHS beyond the date for reply set forth in an Office action. A fully responsive reply must be timely filed to avoid abandonment of this application.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Bradley L. Sisson whose telephone number is (571) 272-0751. The examiner can normally be reached on 6:30 a.m. to 5 p.m., Monday through Thursday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Dave Nguyen, can be reached on 571-272-0731. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free)

/Bradley L. Sisson/  
Primary Examiner  
Art Unit: 1634